

S - Bussole 1/2" poligonali metriche



Description:

-

|  | a [mm] | A [mm] | Diametro [mm] | Diametro D1 [mm] | Length L [mm] | Length L1 [mm] | 12-Point [mm] | Peso [g] |
|--|--------|--------|---------------|------------------|---------------|----------------|---------------|----------|
| S.10 | 10 | 10 | 22.8 | 15.3 | 36.0 | 7.8 | 12 | 50.0 |
| S.10PB | | 10 | 22.8 | | | | 12 | 50.0 |
| S.11 | 11.0 | 11.0 | 22.8 | 16.5 | 36.0 | 9.0 | 12 | 50.0 |
| S.11PB | | 11.0 | 22.8 | 16.5 | 36.0 | 9.0 | 12 | 50.0 |
| S.12 | 12.0 | 12.0 | 22.8 | 17.8 | 36.0 | 9.5 | 12 | 50.0 |
| S.13 | 13.0 | 13.0 | 22.8 | 18.9 | 36.0 | 10.4 | 12 | 50.0 |
| S.13PB | | 13.0 | 22.8 | 18.9 | 36.0 | 10.4 | 12 | 50.0 |
| S.14 | 14.0 | 14.0 | 22.8 | 20.2 | 36.0 | 10.5 | 12 | 55.0 |
| S.14PB | | 14.0 | 22.8 | 20.2 | 36.0 | 10.5 | 12 | 55.0 |
| S.15 | 15.0 | 15.0 | 22.8 | 21.4 | 36.0 | 12.0 | 12 | 55.0 |
| S.15PB | | 15.0 | 22.8 | 21.4 | 36.0 | 12.0 | 12 | 55.0 |
| S.16 | 16.0 | 16.0 | 21.6 | 22.6 | 36.0 | 12.0 | 12 | 55.0 |
| S.16PB | | 16.0 | 21.6 | 22.6 | 36.0 | 12.0 | 12 | 55.0 |
| S.17 | 17.0 | 17.0 | 23.1 | 24.1 | 36.0 | 13.0 | 12 | 65.0 |
| S.17PB | | 17.0 | 23.1 | 24.1 | 36.0 | 13.0 | 12 | 65.0 |
| S.18 | 18.0 | 18.0 | 23.4 | 25.4 | 36.0 | 13.0 | 12 | 70.0 |
| S.18PB | | 18.0 | 23.4 | 25.4 | 36.0 | 13.0 | 12 | 70.0 |
| S.19 | 19.0 | 19.0 | 24.6 | 26.6 | 36.0 | 14.0 | 12 | 75.0 |
| S.19PB | | 19.0 | 24.6 | 26.6 | 36.0 | 14.0 | 12 | 75.0 |
| S.20 | 20.0 | 20.0 | 25.4 | 27.4 | 36.0 | 14.0 | 12 | 80.0 |
| S.20PB | | 20.0 | 25.4 | 27.4 | 36.0 | 14.0 | 12 | 80.0 |
| S.21 | 21.0 | 21.0 | 25.1 | 29.1 | 38.0 | 16.0 | 12 | 85.0 |
| S.21PB | | 21.0 | 25.1 | 29.1 | 38.0 | 16.0 | 12 | 85.0 |
| S.22 | 22.0 | 22.0 | 26.4 | 30.4 | 38.0 | 16.5 | 12 | 95.0 |
| S.22PB | | 22.0 | 26.4 | 30.4 | 38.0 | 16.5 | 12 | 95.0 |
| S.23 | 23.0 | 23.0 | 27.6 | 31.6 | 38.0 | 16.5 | 12 | 105.0 |
| S.23PB | | 23.0 | 27.6 | 31.6 | 38.0 | 16.5 | 12 | 105.0 |
| S.24 | 24.0 | 24.0 | 28.7 | 32.7 | 38.0 | 16.5 | 12 | 115.0 |

| | | | | | | | | |
|---------------|------|------|------|------|------|------|----|-------|
| S.24PB | | 24.0 | 28.7 | 32.7 | 38.0 | 16.5 | 12 | 115.0 |
| S.25 | 25.0 | 25.0 | 27.7 | 34.1 | 38.0 | 16.5 | 12 | 125.0 |
| S.25PB | | 25.0 | 27.7 | 34.1 | 38.0 | 16.5 | 12 | 125.0 |
| S.26 | 26.0 | 26.0 | 29.0 | 35.4 | 38.0 | 16.5 | 12 | 135.0 |
| S.26PB | | 26.0 | 29.0 | 35.4 | 38.0 | 16.5 | 12 | 135.0 |
| S.27 | 27.0 | 27.0 | 29.2 | 36.6 | 44.0 | 19.0 | 12 | 160.0 |
| S.27PB | | 27.0 | 29.2 | 36.6 | 44.0 | 19.0 | 12 | 160.0 |
| S.28 | 28.0 | 28.0 | 30.5 | 37.9 | 44.0 | 20.0 | 12 | 175.0 |
| S.28PB | | 28.0 | 30.5 | 37.9 | 44.0 | 20.0 | 12 | 175.0 |
| S.29 | 29.0 | 29.0 | 31.3 | 38.7 | 44.0 | 20.0 | 12 | 190.0 |
| S.29PB | | 29.0 | 31.3 | 38.7 | 44.0 | 20.0 | 12 | 190.0 |
| S.30 | 30.0 | 30.0 | 33.0 | 40.4 | 44.0 | 20.0 | 12 | 200.0 |
| S.30PB | | 30.0 | 33.0 | 40.4 | 44.0 | 20.0 | 12 | 200.0 |
| S.31 | 31.0 | 31.0 | 34.2 | 41.6 | 44.0 | 20.0 | 12 | 205.0 |
| S.32 | 32.0 | 32.0 | 35.1 | 42.5 | 44.0 | 20.0 | 12 | 210.0 |
| S.32PB | | 32.0 | 35.1 | 42.5 | 44.0 | 20.0 | 12 | 210.0 |
| S.34 | 34.0 | 34.0 | 37.5 | 44.9 | 44.0 | 20.0 | 12 | 240.0 |
| S.8 | 8.0 | 8.0 | 22.8 | 13.1 | 36.0 | 6.5 | 12 | 45.0 |
| S.8PB | | 8.0 | 22.8 | 13.1 | 36.0 | 6.5 | 12 | 45.0 |
| S.9 | 9.0 | 9.0 | 22.8 | 13.8 | 36.0 | 6.5 | 12 | 50.0 |
| S.9PB | | 9.0 | 22.8 | 13.8 | 36.0 | 6.5 | 12 | 50.0 |