


## S.H - Bussole 1/2" esagonali metriche



### Description:

-

	a [mm]	A [mm]	Diametro [mm]	Diametro D1 [mm]	Length L [mm]	Length L1 [mm]	Peso [g]
<b>S.10H</b>	10.0	10.0	22.8	15.3	36.0	7.8	50.0
<b>S.10HPB</b>		10.0	22.8	15.3	36.0	7.8	50.0
<b>S.11H</b>	11.0	11.0	22.8	16.5	36.0	9.0	50.0
<b>S.11HPB</b>		11.0	22.8	16.5	36.0	9.0	50.0
<b>S.12H</b>	12.0	12.0	22.8	17.8	36.0	9.5	50.0
<b>S.12HPB</b>		12.0	22.8	17.8	36.0	9.5	50.0
<b>S.13H</b>	13.0	13.0	22.8	18.9	36.0	10.4	50.0
<b>S.13HPB</b>		13.0	22.8	18.9	36.0	10.4	50.0
<b>S.14H</b>	14.0	14.0	22.8	20.2	36.0	10.5	55.0
<b>S.14HPB</b>		14.0	22.8	20.2	36.0	10.5	55.0
<b>S.15H</b>	15.0	15.0	22.8	21.4	36.0	12.0	55.0
<b>S.15HPB</b>		15.0	22.8	21.4	36.0	12.0	55.0
<b>S.16H</b>	16.0	16.0	21.6	22.6	36.0	12.0	55.0
<b>S.16HPB</b>		16.0	21.6	22.6	36.0	12.0	55.0
<b>S.17H</b>	17.0	17.0	23.1	24.1	36.0	13.0	65.0
<b>S.17HPB</b>		17.0	23.1	24.1	36.0	13.0	65.0
<b>S.18H</b>	18.0	18.0	23.4	25.5	36.0	13.0	70.0
<b>S.18HPB</b>		18.0	23.4	25.5	36.0	13.0	70.0
<b>S.19H</b>	19.0	19.0	24.6	26.6	36.0	14.0	75.0
<b>S.19HPB</b>		19.0	24.6	26.6	36.0	14.0	75.0
<b>S.20H</b>	20.0	20.0	25.4	27.4	36.0	14.0	80.0
<b>S.21H</b>	21.0	21.0	25.1	29.1	38.0	16.0	85.0
<b>S.22H</b>	22.0	22.0	26.4	30.4	38.0	16.5	95.0
<b>S.22HPB</b>		22.0	26.4	30.4	38.0	16.5	95.0
<b>S.23H</b>	23.0	23.0	27.6	31.6	38.0	16.5	105.0
<b>S.23HPB</b>		23.0	27.6	31.6	38.0	16.5	105.0
<b>S.24H</b>	24.0	24.0	28.7	32.7	38.0	16.5	115.0
<b>S.24HPB</b>		24.0	28.7	32.7	38.0	16.5	115.0

<b>S.25H</b>	25.0	25.0	27.7	34.1	38.0	16.5	125.0
<b>S.26H</b>	26.0	26.0	29.0	35.4	38.0	16.5	135.0
<b>S.27H</b>	27.0	27.0	29.2	36.6	44.0	19.0	160.0
<b>S.28H</b>	28.0	28.0	30.5	37.9	44.0	20.0	175.0
<b>S.29H</b>	29.0	29.0	31.3	38.7	44.0	20.0	190.0
<b>S.30H</b>	30.0	30.0	33.0	40.4	44.0	20.0	200.0
<b>S.31H</b>	31.0	31.0	34.2	41.6	44.0	20.0	205.0
<b>S.32H</b>	32.0	32.0	35.1	42.6	44.0	20.0	210.0
<b>S.34H</b>	34.0	34.0	37.5	44.9	44.0	20.0	240.0
<b>S.8H</b>	8.0	8.0	22.8	13.1	36.0	6.5	45.0
<b>S.9H</b>	9.0	9.0	22.8	13.8	36.0	6.5	50.0