


## 76 - Chaves de cachimbo abertas forjadas 12 faces x sextavadas métricas



### Description:

-

	a [mm]	A [mm]	A [mm]	Diâmetro [mm]	Diâmetro D1 [mm]	Comprimento mm [mm]	comprimento L1 [mm]	Cabeça Largura B [mm]	Altura H [mm]
<b>76.10</b>	10	10		8.0	7.0	129.0	28.0	15.0	24.0
<b>76.10PB</b>		10		8.0	7.0	129.0	28.0	15.0	24.0
<b>76.11</b>	11	11		8.0	7.0	136.0	30.0	16.5	25.0
<b>76.11PB</b>		11		8.0	7.0	136.0	30.0	16.5	25.0
<b>76.12</b>	12	12		9.0	8.0	144.0	36.0	18.0	28.0
<b>76.12PB</b>		12		9.0	8.0	144.0	36.0	18.0	28.0
<b>76.13</b>	13	13		9.0	8.0	152.0	38.0	19.5	30.0
<b>76.13PB</b>		13		9.0	8.0	152.0	38.0	19.5	30.0
<b>76.14</b>	14	14		10.5	9.0	160.0	40.0	21.0	32.0
<b>76.14PB</b>		14		10.5	9.0	160.0	40.0	21.0	32.0
<b>76.15</b>	15	15		10.5	10.0	169.0	42.0	22.5	34.0
<b>76.15PB</b>		15		10.5	10.0	169.0	42.0	22.5	34.0
<b>76.16</b>	16	16		13.0	12.0	178.0	46.0	24.0	37.0
<b>76.16PB</b>		16		13.0	12.0	178.0	46.0	24.0	37.0
<b>76.17</b>	13	13		13.0	12.0	187.0	48.0	25.5	39.0
<b>76.17PB</b>		13		13.0	12.0	187.0	48.0	25.5	39.0
<b>76.18</b>	18	18		13.0	12.0	195.0	50.0	26.5	40.0
<b>76.18PB</b>		18		13.0	12.0	195.0	50.0	26.5	40.0
<b>76.19</b>	19	19		15.0	12.0	204.0	51.0	28.5	41.0
<b>76.19PB</b>		19		15.0	12.0	204.0	51.0	28.5	41.0
<b>76.20</b>	20	20		15.0	13.0	212.0	53.0	29.5	43.0
<b>76.20PB</b>		20		15.0	13.0	212.0	53.0	29.5	43.0
<b>76.21</b>	21	21		15.0	14.0	221.0	55.0	30.5	46.0
<b>76.21PB</b>		21		15.0	14.0	221.0	55.0	30.5	46.0
<b>76.22</b>	22	22		15.0	14.0	230.0	57.0	32.0	48.0
<b>76.22PB</b>		22		15.0	14.0	230.0	57.0	32.0	48.0
<b>76.23</b>	23	23		18.0	15.0	240.0	64.0	33.5	51.0

<b>76.23PB</b>		23		18.0	15.0	240.0	64.0	33.5	51.0
<b>76.24</b>	24	24		18.0	16.0	250.0	67.0	34.5	54.0
<b>76.24PB</b>		24		18.0	16.0	250.0	67.0	34.5	54.0
<b>76.25</b>	25	25		20.0	17.0	260.0	69.0	36.0	56.0
<b>76.26</b>	26	26		20.0	17.0	270.0	70.0	37.0	57.0
<b>76.27</b>	27	27		22.0	19.0	280.0	73.0	38.0	58.0
<b>76.28</b>	28	28		22.0	19.0	290.0	75.0	39.5	60.0
<b>76.29</b>	29	29		22.0	19.0	300.0	76.0	41.0	62.0
<b>76.30</b>	30	30		24.0	21.0	310.0	83.0	42.0	64.0
<b>76.31</b>	31	31		24.0	22.6	320.0	86.0	43.5	70.0
<b>76.32</b>	32	32		24.0	22.6	33.0	88.0	44.5	74.0
<b>76.36</b>	36	36		27.0	24.0	370.0	97.0	49.5	82.0
<b>76.6</b>	6	6		4.5	4.5	102.0	21.0	10.0	16.0
<b>76.6PB</b>		6		4.5	4.5	102.0	21.0	10.0	16.0
<b>76.7</b>	7	7		4.5	4.5	106.0	22.0	11.0	17.0
<b>76.7PB</b>		7		4.5	4.5	106.0	22.0	11.0	17.0
<b>76.8</b>	8	8		7.0	6.0	114.0	25.0	12.5	19.0
<b>76.8PB</b>		8		7.0	6.0	114.0	25.0	12.5	19.0
<b>76.9</b>	9	9		7.0	6.0	122.0	26.0	13.5	20.0
<b>76.9PB</b>		9		7.0	6.0	122.0	26.0	13.5	20.0