



EXPERT Combination wrenches - Metric



Description:

- ISO 691
- ISO 1711-1
- ISO 3318
- ISO 7738
- DIN 3113
- 12-point OGV® ring angled at 15°.
- Open end angled at 15° from handle axis.
- OGV® profile maximizing the contact surface with the nut for a longer lifetime.
- Forged in Chrome Vanadium steel.
- High chrome finish.



	A [mm]	Length L [mm]	Thickness E1 [mm]	Thickness E2 [mm]	Head Width B [mm]	Head Width B1 [mm]	Weight [Kg]	Head Height C [mm]	Head Height C1 [mm]
E110101	34	380.0	11.5	14.2	68.7	49.3	0.639	11,5	17.2
E110102	36	410.0	13.0	18.2	73.0	53.4	0.809	13	18.2
E110103	38	430.0	14.5	19.0	76.0	56.5	0.965	14,5	19.0
E110104	41	460.0	15.5	20.0	83.5	61.5	1.261	15,5	20.0
E113200	7	110.0	3.7	5.0	18.2	11.7	0.02	3,7	5.0
E113201	8	120.0	4.1	5.1	20.2	13.2	0.025	4	5.0
E113202	6	100.0	3.7	4.5	16.2	10.4	0.02	3,7	4.5
E113204	9	130.0	4.1	6.0	22.2	14.6	0.035	4	6.0
E113205	10	140.0	4.6	6.5	23.7	16.0	0.037	4	6.5
E113206	11	150.0	4.7	6.5	25.7	17.0	0.045	4,7	6.5
E113207	12	160.0	4.8	7.0	27.5	19.0	0.06	4,8	7.0
E113208	13	170.0	5.5	7.5	28.7	20.6	0.067	5,5	7.5
E113209	14	180.0	5.6	8.0	31.7	22.0	0.08	5,6	8.0
E113210	15	190.0	5.7	8.5	34.0	23.4	0.095	5,7	8.5
E113211	16	200.0	5.8	9.0	36.0	24.8	0.11	5,8	9.0
E113212	17	210.0	6.3	9.5	38.5	26.2	0.123	6,3	9.5
E113213	18	220.0	6.8	10.0	39.0	27.6	0.15	6,8	10.0
E113214	19	230.0	7.1	10.4	42.2	29.0	0.165	7,1	10.4
E113215	20	240.0	7.2	10.9	42.7	30.2	0.18	7,2	10.9
E113216	21	250.0	7.5	11.4	45.5	31.7	0.185	7,5	11.4
E113217	22	260.0	8.0	11.9	48.7	33.0	0.242	8	11.9
E113218	23	260.0	8.0	11.9	48.7	33.0	0.235	8	11.9
E113219	24	280.0	8.2	12.9	50.7	35.0	0.28	8	12.9
E113220	25	295.0	8.7	13.4	52.7	38.0	0.325	8	13.4
E113221	26	295.0	8.7	13.4	52.7	38.0	0.325	8	13.4
E113222	27	310.0	8.9	14.4	56.2	40.0	0.37	8,9	14.4
E113223	28	340.0	9.7	15.9	60.2	44.6	0.495	9	15.9

E113224	29	340.0	9.0	15.9	60.2	44.6	0.495	9	15.9
E113225	30	340.0	9.7	15.9	60.2	44.6	0.485	9	15.9
E113226	32	360.0	10.6	16.9	64.7	47.3	0.6	10,6	16.0
E113228	5	90.0			14.7	9.0	0.015	3,4	4.0
E113229	5.5	93.0			14.7	9.0	0.015	3,4	4.0