


ATX - PROTWIST®-Schraubendreher für Torx®-Schrauben



Beschreibung:

-

	a [mm]	A [mm]	A [°]	Durchmesser [mm]	Durchmesser D1 [mm]	Länge L1 [mm]	Länge [mm]	Länge L2 [mm]	Gewicht [g]	Resistor Nummer ["]	Torx Spitze Nummer ["]
ATX10X75	2.7 4	2.7 4			3.0	75.0	184. 0	109. 0	50.0		T10
ATX10X75PB		2.7 4			3.0	75.0	184. 0	109. 0	50.0		T10
ATX15X75	3.2 6	3.2 6			3.5	75.0	184. 0	109. 0	61.0		T15
ATX15X75PB		3.2 6			3.5	75.0	184. 0	109. 0	61.0		T15
ATX20X100	3.8 4	3.8 4			4.0	100. 0	220. 0	120. 0	67.0		T20
ATX20X100PB		3.8 4			4.0	100. 0	220. 0	120. 0	67.0		T20
ATX20X150	3.8 4	3.8 4		36.0	4.0	150. 0	270. 0	120. 0	73.0		T20
ATX25X100	4.4	4.4			5.0	100. 0	220. 0	120. 0	113. 0		T25
ATX25X100PB		4.4			5.0	100. 0	220. 0	120. 0	113. 0		T25
ATX27X100	4.9 6	4.9 6			5.5	100. 0	220. 0	120. 0	113. 0		T27
ATX30X125	5.4 9	5.4 9			6.0	125. 0	245. 0	120. 0	126. 0		T30
ATX30X125PB		5.4 9			6.0	125. 0	245. 0	120. 0	126. 0		T30
ATX40X150	6.6	6.6		40.0	7.0	150. 0	275. 0	125. 0	173. 0		T40
ATX6X50	1.6 5	1.6 5			2.5	50.0	144. 0	94.0	20.0		T6
ATX7X50	1.9 7	1.9 7			2.5	50.0	144. 0	94.0	20.0		T7
ATX8X50	2.3	2.3			2.5	50.0	153. 0	103. 0	35.0		T8
ATX9X75	2.4 8	2.4 8			3.0	75.0	178. 0	103. 0	45.0		T9
ATXP10X75	2.7 4	2.7 4			3.0	75.0	184. 0	109. 0	50.0	IP10	

ATXP15X75	3.26	3.26			3.5	75.0	184.0	110.0	61.0	IP15	
ATXP20X100	3.84	3.84			4.0	100.0	220.0	120.0	67.0	IP20	
ATXP25X100	4.4	4.4			5.0	100.0	220.0	120.0	113.0	IP25	
ATXP27X100	4.96	4.96			5.5	100.0	220.0	120.0	113.0	IP27	
ATXP30X125	5.49	5.49			6.0	125.0	245.0	120.0	126.0	IP30	
ATXP40X150	6.6	6.6		40.0	7.0	150.0	275.0	125.0	173.0	IP40	
ATXP5X50	1.42	1.42		19.0	2.5	50.0	144.0	95.0	20.0	IP5	
ATXP6X50	1.65	1.65			2.5	50.0	144.0	95.0	20.0	IP6	
ATXP7X50	1.97	1.97			2.5	50.0	144.0	95.0	20.0	IP7	
ATXP8X50	2.3	2.3			2.5	50.0	153.0	103.0	35.0	IP8	
ATXP9X75	2.48	2.48			3.0	75.0	178.0	103.0	45.0	IP9	